






























LEATHER DYES

Home | [Leather Dyes](#)

WET BLUE		SOLUBILITY 60°C IUF2011	LIGHT 1	FASTNESS		MIGRATION IN PVC IUF42	CAS NO.
				WASHING IUF 423	PERSPIRATION IUF 426		
Name	1%			N W O C O	N W O C O		
Yellow R Di Yellow 11		40	5	2 4-5 2-3	3 4-5 1-2	5	1325-37-7
Milling Yellow R A. Yellow 42		100	3-4	3 2 4	3 4-4 2	5	6375-55-9
Yellow H A. Yellow 42		70	4-5	3 4-5 4-5	3 4-3 3	5	6375-55-9
Orange 3 D A Orange 3		60	4	4 5 3 1	2 3 3	3	6373-74-6
Orange TGLL D. Orange 39		100	4	2 4-5 4	2 4 4	5	1325-54-8
Fur Orange R A. Orange 7		60	3	4 3 3-4	1 3 3	3	633-96-5
Orange NR A. Orange 142		75	4	4 2-3 2	2 4-5 4-5	4	61901-39-1
Orange G A Orange 74		75	4	4 2-3 2	2 4-5 4-5	4	10127-27-2
Scarlet 4BS D Red 23		40	3	5 5 4	2 2 2	5	3441-14-3
Scarlet ML A. Red 357		40	5	3 4-5 4	3 4-5 5	3	61951-36-8
Red C N A. Red 97		10	2	3 3-4 3-4	2 3 3	4-5	10169-2-5
Fast Red A A. Red 88		30	3	3 2 3	2 3 4	3	1658-56-6
Red 5B D. Red 81		30	3	2 1 1	3 5 5	4	259636
Red 5B Di. Red 80		100	3	3 3-4 4	4-5 3 2	5	259604
Red E/Red BG 50 Di Red 239		30	2-3	4-5 4 3	4 4 4-5	4-5	60202-35-9
Violet 4BS A. Violet 17		30	1	5 4 5	3 4 2-3 2	4	4129-84-4
Bordeaux B A. violet 90		40	2-3	2-3 4-5 4-5	2 2-3 2	4-5	6408-29-3
Violet B C A Violet 54		70	2	2 4-5 4-5	3 2-3 2	4-5	11097-74-8
Bordeaux V A Red 119		30	3	2 4 2-3	3 2-3 2	4-5	12220-20-1
Green GD A Green 111		75	3	3 3 4	3 4-5 4	4-5	58419-36-6
Dark Green N A Green 68		25	3	4 4-5 3	4 3 2-3	5	61901-32-4
Olive C-SG A Green 73		50	3-4	2 4-5 4-5	3 4 3-4 3-4	1-2	12219-93-1
Green V A A Green 20		100	3-4	2 3 2-3	4 3 3	4-5	5850-39-5
Fast Blue G A Blue 158		80	3-4	2 2 2-3	2 3 2	3	6370-08-7
Blue 5R A Blue 113		70	3	2 3 4 3	3 4 3 2 3	4	530089
Dark Blue N A Blue 193		50	4-5	2 2 3	4 3 3	3	12392-64-2
Brown BG A Brown 188		40	2-3	4 4-5 4	3 4 3-4 4	5	12219-57-7
Brown GR A Brown 161		60	5	2 2 2	4 3 4-5	5	61724-13-8
Brown RS A Brown 83		30	3-4	1 2 1	3 2-3 4-5	4-5	6408-03-3
Olive Brown OG A Brown 98		75	4	3 3 4	3 4-4 2	5	12269-88-4
Brown G A Brown 425		75	4-5	3 4 4	3 5 3	5	119509-49-8
Brown MFR A Brown 97		40	3-4	2 1 2	2 3 3	3	61901-18-6
Brown RD A Brown 14		30	2	1 2 2	1 3 4	3	5850-16-8
Brown DGR A Brown 235		50	3	4 4-5 3-4	4-5 3 2	3-4	12269-90-8
Brown SG A Brown 349		50	3	4 4 3	4 3 4	4-5	72827-73-7
Brown RL A Brown 434		50	5	2-3 2 3	3 3 3	4	126851-40-9
Brown R A Brown 432		100	3-4	4 4 4-5	3 5 4	5	119509-50-1
Brown SR A Brown 348		60	3	4 5 2-3 5	3 3 2	4-5	72827-72-6
Brown HG A Brown 314		70	2-3	3 4 4-5 4	3 4 3 4 3-4	4-5	12219-81-7
Brown 414 A Brown 414		60	4	4 5 2-3 5	2 3 2	3	172287-09-7
Red Brown RO A Brown 354		100	2-3	2 2 5	3 4 4	5	71799-43-4
Brown CR A Brown 75		100	3	2 2-3 5	3 4 4-5	4-5	8011-86-7
Brown NT A Brown 165		30	3-4	4 5 4-5 4	3 3 2	4	61724-14-9
Brown DS/HEBR A Brown 58		70	2-3	4 4-5 4	4-5 3 4-3	5	12269-87-3
Brown SBL A Brown 355		70	4	3 4 4	4 3 2-3	4-5	60181-77-3
Brown 2RL A Brown 365		60	4	4 5 3 2-3	4 3 3	3	63641-88-3
Brown SGR A Brown 282		60	3-4	1 2 1	2 4 3	4	12219-65-7
Brown D2R A Brown 191		10	3-4	4 4-5 2-3	4 3 2-3	3	61724-16-1
Black MSRL A Black 194		100	4	3 4 4 3-4	4 2 2	4	61931-02-0
Black NT A Black 210		70	3	4 3 2-3	4 2 2	4-5	99576-15-5
Black VT A Black 234		70	4	3 4 3 4-3	3 4 3 4 4	4-5	157577-99-6
Black HEF Di. Black 168		55	3-4	4 4 2-3	4 3 2	3-4	85631-88-5
Black BF Di. Black 155		75	2-3	2 2 3-4	3 2 3 5	3	71902-06-2